

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Edit an existing query or compose a new query in the Search Query Display.

Thu, 15 Mar 2007, 11:38:01 AM EST

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- | | |
|----|---|
| #1 | ((frequency dependent phase predistortion table)<in>metadata) |
| #2 | ((frequency dependent phase predistortion table)<in>metadata) |
| #3 | ((frequency <and> dependent <and> phase <and> predistortion <and> (table <or> memory))<in>metadata) |
| #4 | ((((frequency <and> dependent <and> phase <and> predistortion <and> (table <or> memory))<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2002) |

Results

0

0

1

0

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2006 IEEE

	Hits	Search Text	DBs
1	1	gb-2348755-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	11	((("6,166,603") or ("6,236,267") or ("6,281,747") or ("6,288,610") or ("6,366,177") or ("6,417,731") or ("6141790") or ("20020080891") or ("20020041210") or ("20020125947") or ("20020060606"))).PN.	US-PGPUB; USPAT
3	6	((("6512417") or ("4870371") or ("20010033238"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	2	ep-1085668-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	13	((("20030076896") or ("5937011") or ("20030045264") or ("20030076894") or ("20030020538") or ("20030058960") or ("5872814") or ("6271724") or ("20020186783") or ("6429736") or ("20030016741") or ("6304140") or ("6081158"))).PN.	US-PGPUB; USPAT
6	2	((("6112062") or ("6587514"))).PN.	US-PGPUB; USPAT
7	2	gb-2384377-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
8	1	wo-3085822-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	2	((("6342810") or ("4870371")).PN.	US-PGPUB; USPAT
10	2	ep-1199797-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	2	ep-416622-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	2	ep-1463198-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	2	ep-1280273-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	47	S1 or S2 or S3 or S4 or S5 or S6 or S7 or S8 or S9 or S10 or S11 or S12 or S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	6	((advanc\$7 or delay\$7 or retard\$7) near2 \$7distortion\$7 near2 phas\$7) near2 (add\$5 or sum\$7 or combin\$7)) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	253	((advanc\$7 or delay\$7 or retard\$7) near2 \$7distortion\$7 near2 phas\$7) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
17	78	((advanc\$7 or delay\$7 or retard\$7) near2 \$7distortion\$7 near2 phas\$7) with frequenc\$7) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	0	((advanc\$7 or delay\$7 or retard\$7) near2 pre\$1distortion\$7 near2 phas\$7) with frequenc\$7) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	3	((advanc\$7 or delay\$7 or retard\$7) near2 pre\$1distortion\$7 near2 phas\$7) same frequenc\$7) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	17	("4890300" "4902983" "4992754" "5049832" "5161044" "5363056" "5378937" "5381108" "5418637" "5424680" "5477367" "5523716" "5589797" "5600472" "5798854" "5939920" "6018266").PN.	US-PGPUB; USPAT; USOCR
21	4	((("4992754") or ("5161044"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	10	(US-20020167979-\$).did. or (US-6512417-\$ or US-6417731-\$ or US-4787094-\$ or US-6654591-\$ or US-6570444-\$ or US-6288814-\$ or US-5424680-\$ or US-4890300-\$).did. or (EP-1463198-\$).did.	US-PGPUB; USPAT; EPO

	Hits	Search Text	DBs
23	7	S22 and independent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	78	pre\$1distortion\$7 near2 base\$1band and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	11	(US-20020167979-\$).did. or (US- 6512417-\$ or US-6417731-\$ or US-4787094-\$ or US-6654591-\$ or US-6570444-\$ or US-6288814-\$ or US-5424680-\$ or US-4890300-\$ or US-6903604-\$).did. or (EP- 1463198-\$).did.	US-PGPUB; USPAT; EPO
26	4	S26 and tabl\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	1	wo-2003085822-\$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	4	(("6112062") or ("6587514") or ("4870371") or ("20010033238")).PN.	US-PGPUB; USPAT
29	13	(("20030076896") or ("5937011") or ("20030045264") or ("20030076894") or ("20030020538") or ("20030058960") or ("5872814") or ("6271724") or ("20020186783") or ("6429736") or ("20030016741") or ("6304140") or ("6081158")).PN.	US-PGPUB; USPAT

	Hits	Search Text	DBs
30	27	(375/296, 375/295, 455/114.3, 455/114.2, 455/91).ccls. and (pre\$1distortion\$7 near2 base\$1band) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	2	"6075411".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	2	"6493543".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	2	"5867065".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	2	ep-751630-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	2	ep-881807-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	2	wo-9933170-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	2	"6507732".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
38	2	"5923712".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	6	US-5963549-\$.DID. OR US-5920808-\$.DID. OR US-6288610-\$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	20	S33 or S34 or S35 or S36 or S37 or S38 or S39 or S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	0	S41 and (phas\$7 near2 (diff\$7 or subtract\$7) with frequenc\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	28784	(phas\$7 near2 (diff\$7 or subtract\$7) with frequenc\$7) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	9	(phas\$7 near2 (diff\$7 or subtract\$7) with (critical\$7 near2 frequenc\$7)) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	22	(phas\$7 near2 (diff\$7 or subtract\$7) with ((critical\$7 or important\$7) near2 frequenc\$7)) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	137	(phas\$7 near2 (diff\$7 or subtract\$7) with ((critical\$7 or important\$7 or main or primar\$7) near2 frequenc\$7)) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
46	115	S46 not S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	0	S47 and (phase near2 pre\$1distort\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	0	S46 and (phase near2 pre\$1distort\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	0	S46 and (pre\$1distort\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	1608	(phas\$7 near2 (diff\$7 or subtract\$7) with ((critical\$7 or important\$7 or main or primar\$7 or two) near2 frequenc\$7)) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	11	S51 and (pre\$1distort\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	0	(frequenc\$7 near2 indepen\$7) with (pre\$1distort\$7 with magnitud\$7 with phas\$7) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	4	(frequenc\$7 near2 indepen\$7) with (pre\$1distort\$7 with (magnitud\$7 or ampli\$7) with phas\$7) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
54	0	(375/296, 375/295, 455/114.3, 455/114.2, 455/91).ccls. and (pre\$1distortion\$7 same base\$1band same ((intermediat\$7 near2 frequenc\$7) with (\$7limit\$7 or threshold\$7))) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	3	(375/296, 375/295, 455/114.3, 455/114.2, 455/91).ccls. and (pre\$1distortion\$7 and base\$1band and ((intermediat\$7 near2 frequenc\$7) with (\$7limit\$7 or threshold\$7))) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	3	(375/296, 375/295, 375/377, 455/114.3, 455/114.2, 455/91).ccls. and (pre\$1distortion\$7 and base\$1band and ((intermediat\$7 near2 frequenc\$7) with (\$7limit\$7 or threshold\$7))) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	2	("6075411").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	2	ep-1463198-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	10	((("5,187,719") or ("6,489,846") or ("6,677,820") or ("6,687,511") or ("6,700,442") or ("6,798,843") or ("6,925,106") or ("6,373,902") or ("6,885,709") or ("6,975,687")).PN.	USPAT

	Hits	Search Text	DBs
60	4	(375/296, 375/295, 375/377, 455/114.3, 455/114.2, 455/91).ccls. and (pre\$1distortion\$7 and base\$1band and ((intermediat\$7 near2 frequenc\$7) with (\$7limit\$7 or threshold\$7))) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	55	frequenc\$7 near2 depend\$7 near2 phas\$7 near2 (distor\$7 or pre\$1distor\$7) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	0	frequenc\$7 near2 depend\$7 near2 phas\$7 near2 pre\$1distor\$7 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	1	frequenc\$7 near2 (bas\$3 or depend\$7) near2 phas\$7 near2 pre\$1distor\$7 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	19	frequenc\$7 near2 phas\$7 near2 pre\$1distor\$7 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	0	pre\$1distor\$7 near2 based near2 frequenc\$7 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	194	pre\$1distor\$7 near2 frequenc\$7 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	71	pre\$1distor\$7 with (phas\$7 near2 differen\$7) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
68	17	pre\$1distor\$7 with (phas\$7 near2 differen\$7) with frequenc\$7 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	0	(pre\$1distor\$7 or distor\$7) near2 bas\$3 near2 (phas\$7 near2 differen\$7) near2 between near2 frequenc\$7 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	0	(pre\$1distor\$7 or distor\$7) near2 bas\$3 near2 (phas\$7 near2 differen\$7) near2 frequenc\$7 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	23	(pre\$1distor\$7 or distor\$7) near2 (phas\$7 near2 differen\$7) near2 frequenc\$7 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	40	(pre\$1distor\$7 or distor\$7) near3 (phas\$7 near2 differen\$7) near3 frequenc\$7 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	17	S73 not S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	35	(pre\$1distor\$7 or distor\$7) same ((phas\$7 near2 differen\$7) near2 between near2 frequenc\$7) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	500	(pre\$1distor\$7 or distor\$7) and ((phas\$7 near2 differen\$7) near2 between near2 frequenc\$7) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	386	(phas\$7 adj differen\$7) adj between adj frequenc\$7 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
77	386	(phas\$7 adj differen\$7) adj between adj frequencies and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	75	(phas\$7 adj differen\$7) adj between adj frequencies and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	5	(distor\$7 or pre\$distor\$7) and (phas\$7 adj differen\$7) adj between adj frequencies and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
80	0	(distor\$7 or pre\$distor\$7) same (phas\$7 adj differen\$7) adj between adj frequencies and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
81	2	"5132639".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
82	2	"20020171485".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
83	2	"20030117215".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	2	"6275103".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	2	ep-1199797-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
86	2	"6075411".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
87	4	(375/296, 375/295, 375/377, 455/114.3, 455/114.2, 455/91).ccls. and (pre\$1distortion\$7 and base\$1band and ((intermediat\$7 near2 frequenc\$7) with (\$7limit\$7 or threshold\$7))) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	0	VELLA-COLEIRO-GEORGE.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
89	0	S96 and S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
90	9	Vella\$-GEORGE-\$in. and pre\$1distor\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
91	19	((frequenc\$7 near2 depend\$7) or frequenc\$15) near2 phase near2 pre\$1distort\$7) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
92	0	(frequenc\$15 near2 depend\$7 near2 phase near2 pre\$1distort\$7) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
93	0	(frequenc\$15 near2 depend\$7 near2 phase near2 pre\$1distort\$7) same (table or memor\$7) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
94	0	(frequenc\$7 near2 depend\$7 near2 phase near2 pre\$1distort\$7) same (table or memor\$7) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
95	42	Vella\$-GEORGE-\$in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
96	0	COLEIRO-GEORGE-\$in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	0	VELLA-GEORGE.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	0	VELLACOLEIRO-GEORGE.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
99	0	\$COLEIRO-GEORGE.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
100	11	VELLA-GEORGE-\$in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB